




BAG FILTER




Office: 905.696.9292
 Toll Free: 1.877.896.9292
 Fax: 905.696.8046
www.esscorp.ca
 1565 Britannia Rd. E. Unit 36 & 37
 Mississauga, ON - Canada L4W 2V6

Mod# BG1



BG1



BG1-SI

SPECIFICATIONS

- Design Code ASME Sec. VIII Div. 1
- AVAILABLE MATERIAL: Carbon Steel, SS316/304, Titanium, Hastelloy..
- STANDARD DESIGN RATING: 150 PSIG @ 225 Deg. F, Other on Request
 MIN. DESIGN METAL TEMP:
 -20 Deg. F. @ 150 PSIG, or Per Spec.
- BASKET: Size L1 or L2
 Material: Stainless Steel
 Perf. Plate, Dome Bottom
- FINISH: Blasted and Painted for CS
 Glass Bead for SS Vessels, or to Meet Spec.
- INLET/OUTLET OPTION: RF Flange, Half Coupling, Other Available on Request
- EYE BOLTS AND HEX NUTS: Plated Carbon Steel, or to Meet Specification
- O'RINGS: Buna N or EPDM Standard Viton, TEV or other optional
- Filter Bags Extra
- ASME Code Stamp Available
- Special Coating or High Polish Available on Request



Office: 905.696.9292
 Toll Free: 1.877.896.9292
 Fax: 905.696.8046
www.esscorp.ca
 1565 Britannia Rd. E. Unit 36 & 37
 Mississauga, ON - Canada L4W 2V6

Mod# BG1

MODELS AVAILABLE

Shown Available Connections, Options, and Models with Dimensions:

MODEL	BASKET SIZE	CONNECTION	DIMENSIONS (INCHES)		
			L	H	W
BG1-L1-2F	L1	2" FLG.	17 1/4	9 1/4	16 3/8
BG1-L1-3F	L1	3" FLG.	16 3/16	12 7/8	19 7/16
BG1-L1-2FNPT	L1	2" HALF CPLG.	16 7/16	9 1/4	15 9/16
BG1-L1-3FNPT	L1	3" HALF CPLG.	15 9/16	12 7/8	18 13/16
BG1-L2-2F	L2	2" FLG.	30 1/4	9 1/4	16 3/8
BG1-L2-3F	L2	3" FLG.	29 3/16	12 7/8	19 7/16
BG1-L2-2FNPT	L2	2" HALF CPLG.	29 7/16	9 1/4	15 9/16
BG1-L2-3FNPT	L2	3" HALF CPLG.	28 9/16	12 7/8	18 13/16
BG1-L1-2F-SI	L1	2" FLG.	24 1/4	5 3/4	11 5/8
BG1-L1-3F-SI	L1	3" FLG.	25	5 1/4	11 7/8
BG1-L1-2FNPT-SI	L1	2" HALF CPLG.	23 7/16	5 3/4	10 13/16
BG1-L1-3FNPT-SI	L1	3" HALF CPLG.	24 3/8	5 1/4	13 1/4
BG1-L2-2F-SI	L2	2" FLG.	35 1/4	5 3/4	11 5/8
BG1-L2-3F-SI	L2	3" FLG.	36	5 1/4	11 7/8
BG1-L2-2FNPT-SI	L2	2" HALF CPLG.	34 7/16	5 3/4	10 13/16
BG1-L2-3FNPT-SI	L2	3" HALF CPLG.	35 3/8	5 1/4	13 1/4